

# パイプベンダー曲型一覧表

2024年8月1日

## オプション MC-30R / ECO-UD-T-35

パイプ径	曲R	パイプ径	曲R	パイプ径	曲R	パイプ径	曲R	パイプ径	曲R
4	8	21.7	50						
6	6	22.2	50						
	7		60						
7	20	25.4	50						
8	8		55						
	10	60							
	12	28.6	60 60						
	16								
	20								
	30								
9	12								
10	12								
	20								
	24								
	30								
	45								
10.5	50								
11	15								
12	19								
	40								
	50								
12.7	20								
	25								
13.8	32								
	50								
14	22								
15.9	30								
16	50								
17.3	42								
19.1	40 40								
	50								
	60								
20	50								

# 保有曲げ型内訳

## オプション MC-30R / ECO-UD-T-35

2024年8月1日

パイプ径	曲R	クランプ幅	マンドレル	棒 芯	備 考
φ4	8	20			ミガキ丸
φ6	6	20			
	7	12			
φ7	20	20			ミガキ丸
φ8	8	16			
	10	15			ミガキ丸
	12	10			
	16	20			
	20	15			ミガキ丸
	30	40			
φ9	12	18			135° まで
φ10	12	25			
	20	20			ミガキ丸
	24	25			ミガキ丸
	30	20			ミガキ丸
	45	30			ミガキ丸
φ10.5	50	35			
φ11	15	22			ミガキ丸
φ12	19	20			
	40	30			
	50	40			ミガキ丸
φ12.7	20	35			
	25	30			
φ13.8	32	35		t1.2	
	50	40			
φ14	22	35			ミガキ丸
φ15.9	30	30			
φ16	50	40			
φ17.3	42	40		t1.5	
φ19.1	40	35, 60			
	50	45			
	60	50	t1.5		
φ20	50	45			
φ21.7	50	35			

